

User and parts manual  
Tallon 300



**Use the Talon for**

- Raking from grasfields to remove dead grass and tatch
- Raking topdress material
- Removing weeds
- Bring up spire

## **Fields of application :**

dissolves moss, felt and cuttings residues.  
Incorporation of sand or top dressing materials on lawns.  
Erecting of cross-laying grasses.  
Crumbling of earthworm heaps  
Weed control on water-bound paths and sites.

## **Warranty:**

Excluded from the warranty are all defects caused by improper handling, damage or attempted repairs. This also applies to normal wear and tear.

## **Extension:**

Mounting options at rear three-point cat. 1 or cat. 2  
When adjusting the top link, ensure that the runners or wheels are evenly loaded.  
When harroweeding, it is advisable to equip the top link with a height compensation.  
**When harroweeding, the hydraulics on the towing vehicle must be set to float position.**

## **Depth adjustment:**

The swivel supports allow the height to be infinitely adjusted.  
Lift the safety latch, move the castors to the desired position and lock them again. Make sure that all castors are at the same height.

## **Deployment:**

Raise and lower the lawn harrow while driving.  
When harrowing, fix the top link in one of the upper holes and drive in floating position.  
Do not drive in tight radii  
**The harrow must not be placed on the spring tines, otherwise the spring tines could break.**  
The working speed is approx. 10 km/h to 16 km/h

## Maintenance:

The harrow should be cleaned after each use.

If a spring tine breaks, remove the safety bar, fit replacement spring tines and reattach the safety bar.

## Wear parts

1	Swivel castors	Art. No. 320 716	piece	7
2	Double spring tines	Art. No. 307 703	piece	168
3	socket pins	Art. No. 320 645	piece	3
5	Spring tine safety device middle	Art. No. 320 675	piece	8
6	Spring tine safety device Page	Art. No. 320 675	piece	16
7	Bolt for top link	Art. No. 320 732	piece	1
8	Bolt for lower link	Art. No. 320 738	piece	2
9	Folding pin	Art. No. 320 740	piece	3
10	Page frame left	Art. No. 320 821	piece	1
11	Page frame re	Art. No. 320 822	piece	1
12	Main frame	Art. No. 320 100	piece	3
13	Bolt for side panel	Art. No. 320 110	piece	4
14	Spring pin	Art. No. 320 825	piece	5

